

Product:

PVC cable protection bends with solvent welded socket



Information for invitation to tender:

Pos:.....
PVC Cable protection bend 110 x 3,2 mm / 11°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket / DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bend 110 x 3,2 mm / 15°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket / DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bend 110 x 3,2 mm / 22°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket / DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bend 110 x 3,2 mm / 30°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket / DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bend 110 x 3,2 mm / 45°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket / DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
 PVC Cable protection bend 110 x 3,2 mm / 60°
 R = 1000 mm / Material PVC / Colour: black
 with solvent welded socket / DIN 16873
 System KURO o. glw. (www.kuro-kunststoffe.de)
 supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
 PVC Cable protection bend 110 x 3,2 mm / 90°
 R = 1000 mm / Material PVC / Colour: black
 with solvent welded socket / DIN 16873
 System KURO o. glw. (www.kuro-kunststoffe.de)
 supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
 PVC Cable protection bend 110 x 5,3 mm / 11°
 R = 1000 mm / Material PVC / Colour: black
 with solvent welded socket / DIN 16873
 System KURO o. glw. (www.kuro-kunststoffe.de)
 supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
 PVC Cable protection bend 110 x 5,3 mm / 15°
 R = 1000 mm / Material PVC / Colour: black
 with solvent welded socket / DIN 16873
 System KURO o. glw. (www.kuro-kunststoffe.de)
 supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
 PVC Cable protection bend 110 x 5,3 mm / 22°
 R = 1000 mm / Material PVC / Colour: black
 with solvent welded socket / DIN 16873
 System KURO o. glw. (www.kuro-kunststoffe.de)
 supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
 PVC Cable protection bend 110 x 5,3 mm / 30°
 R = 1000 mm / Material PVC / Colour: black
 with solvent welded socket / DIN 16875
 System KURO o. glw. (www.kuro-kunststoffe.de)
 supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bend 110 x 5,3 mm / 45°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket / DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bend 110 x 5,3 mm / 60°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket / DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bend 110 x 5,3 mm / 90°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket / DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP: