

**Product:**

**PVC cable protection bends with solvent welded socket**



**Information for invitation to tender:**

Pos:.....  
PVC Cable protection bend 50 x 1,8 mm / 11°  
R = 1000 mm / Material PVC / Colour: black  
with solvent welded socket / DIN 16873  
System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
supply and install, as an addition to pos: .....

Amount:.....Pieces    UP: .....    TP: .....

Pos:.....  
PVC Cable protection bend 50 x 1,8 mm / 15°  
R = 1000 mm / Material PVC / Colour: black  
with solvent welded socket / DIN 16873  
System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
supply and install, as an addition to pos: .....

Amount:.....Pieces    UP: .....    TP: .....

Pos:.....  
PVC Cable protection bend 50 x 1,8 mm / 22°  
R = 1000 mm / Material PVC / Colour: black  
with solvent welded socket / DIN 16873  
System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
supply and install, as an addition to pos: .....

Amount:.....Pieces    UP: .....    TP: .....

Pos:.....  
PVC Cable protection bend 50 x 1,8 mm / 30°  
R = 1000 mm / Material PVC / Colour: black  
with solvent welded socket / DIN 16873  
System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
supply and install, as an addition to pos: .....

Amount:.....Pieces    UP: .....    TP: .....

Pos:.....  
PVC Cable protection bend 50 x 1,8 mm / 45°  
R = 1000 mm / Material PVC / Colour: black  
with solvent welded socket / DIN 16873  
System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
supply and install, as an addition to pos: .....

Amount:.....Pieces    UP: .....    TP: .....

Pos:.....  
 PVC Cable protection bend 50 x 1,8 mm / 60°  
 R = 1000 mm / Material PVC / Colour: black  
 with solvent welded socket / DIN 16873  
 System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
 supply and install, as an addition to pos: .....

Amount:.....Pieces    UP: .....    TP: .....

Pos:.....  
 PVC Cable protection bend 50 x 1,8 mm / 90°  
 R = 1000 mm / Material PVC / Colour: black  
 with solvent welded socket / DIN 16873  
 System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
 supply and install, as an addition to pos: .....

Amount:.....Pieces    UP: .....    TP: .....

Pos:.....  
 PVC Cable protection bend 50 x 2,4 mm / 11°  
 R = 1000 mm / Material PVC / Colour: black  
 with solvent welded socket / DIN 16873  
 System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
 supply and install, as an addition to pos: .....

Amount:.....Pieces    UP: .....    TP: .....

Pos:.....  
 PVC Cable protection bend 50 x 2,4 mm / 15°  
 R = 1000 mm / Material PVC / Colour: black  
 with solvent welded socket / DIN 16873  
 System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
 supply and install, as an addition to pos: .....

Amount:.....Pieces    UP: .....    TP: .....

Pos:.....  
 PVC Cable protection bend 50 x 2,4 mm / 22°  
 R = 1000 mm / Material PVC / Colour: black  
 with solvent welded socket / DIN 16873  
 System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
 supply and install, as an addition to pos: .....

Amount:.....Pieces    UP: .....    TP: .....

Pos:.....  
 PVC Cable protection bend 50 x 2,4 mm / 30°  
 R = 1000 mm / Material PVC / Colour: black  
 with solvent welded socket / DIN 16873  
 System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
 supply and install, as an addition to pos: .....

Amount:.....Pieces    UP: .....    TP: .....



Pos:.....  
PVC Cable protection bend 50 x 2,4 mm / 45°  
R = 1000 mm / Material PVC / Colour: black  
with solvent welded socket / DIN 16873  
System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
supply and install, as an addition to pos: .....

Amount:.....Pieces UP: ..... TP: .....

Pos:.....  
PVC Cable protection bend 50 x 2,4 mm / 60°  
R = 1000 mm / Material PVC / Colour: black  
with solvent welded socket / DIN 16873  
System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
supply and install, as an addition to pos: .....

Amount:.....Pieces UP: ..... TP: .....

Pos:.....  
PVC Cable protection bend 50 x 2,4 mm / 90°  
R = 1000 mm / Material PVC / Colour: black  
with solvent welded socket / DIN 16873  
System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
supply and install, as an addition to pos: .....

Amount:.....Pieces UP: ..... TP: .....