

Produkt:

PVC Cable protection bends with solvent welded socket



Information for invitation to tender:

Pos:.....	PVC Cable protection bends 63 x 1,9 mm / 11° R = 1000 mm / Material PVC / Colour: black with solvent welded socket/ DIN 16873 System KURO o. glw. (www.kuro-kunststoffe.de) supply and install, as an addition to pos:
	Amount:.....Pieces UP: TP:
Pos:.....	PVC Cable protection bends 63 x 1,9 mm / 15° R = 1000 mm / Material PVC / Colour: black with solvent welded socket/ DIN 16873 System KURO o. glw. (www.kuro-kunststoffe.de) supply and install, as an addition to pos:
	Amount:.....Pieces UP: TP:
Pos:.....	PVC Cable protection bends 63 x 1,9 mm / 22° R = 1000 mm / Material PVC / Colour: black with solvent welded socket/ DIN 16873 System KURO o. glw. (www.kuro-kunststoffe.de) supply and install, as an addition to pos:
	Amount:.....Pieces UP: TP:
Pos:.....	PVC Cable protection bends 63 x 1,9 mm / 30° R = 1000 mm / Material PVC / Colour: black with solvent welded socket/ DIN 16873 System KURO o. glw. (www.kuro-kunststoffe.de) supply and install, as an addition to pos:
	Amount:.....Pieces UP: TP:
Pos:.....	PVC Cable protection bends 63 x 1,9 mm / 45° R = 1000 mm / Material PVC / Colour: black with solvent welded socket/ DIN 16873 System KURO o. glw. (www.kuro-kunststoffe.de) supply and install, as an addition to pos:
	Amount:.....Pieces UP: TP:



Pos:.....
PVC Cable protection bends 63 x 1,9 mm / 60°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket/ DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bends 63 x 1,9 mm / 90°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket/ DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bends 63 x 3,0 mm / 11°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket/ DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bends 63 x 3,0 mm / 15°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket/ DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bends 63 x 3,0 mm / 22°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket/ DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bends 63 x 3,0 mm / 30°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket/ DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:



Pos:.....
PVC Cable protection bends 63 x 3,0 mm / 45°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket/ DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bends 63 x 3,0 mm / 60°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket/ DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP:

Pos:.....
PVC Cable protection bends 63 x 3,0 mm / 90°
R = 1000 mm / Material PVC / Colour: black
with solvent welded socket/ DIN 16873
System KURO o. glw. (www.kuro-kunststoffe.de)
supply and install, as an addition to pos:

Amount:.....Pieces UP: TP: