

## Product:

### PVC cable protection bends with solvent welded socket



## Information for invitation to tender:

Pos:.....	PVC Cable protection bend 75 x 2,2 mm / 11° R = 1000 mm / Material PVC / Colour: black with solvent welded socket / DIN 16873 System KURO o. glw. ( <a href="http://www.kuro-kunststoffe.de">www.kuro-kunststoffe.de</a> ) supply and install, as an addition to pos: .....
	Amount:.....Pieces    UP: .....    TP: .....
Pos:.....	PVC Cable protection bend 75 x 2,2 mm / 15° R = 1000 mm / Material PVC / Colour: black with solvent welded socket / DIN 16873 System KURO o. glw. ( <a href="http://www.kuro-kunststoffe.de">www.kuro-kunststoffe.de</a> ) supply and install, as an addition to pos: .....
	Amount:.....Pieces    UP: .....    TP: .....
Pos:.....	PVC Cable protection bend 75 x 2,2 mm / 22° R = 1000 mm / Material PVC / Colour: black with solvent welded socket / DIN 16873 System KURO o. glw. ( <a href="http://www.kuro-kunststoffe.de">www.kuro-kunststoffe.de</a> ) supply and install, as an addition to pos: .....
	Amount:.....Pieces    UP: .....    TP: .....
Pos:.....	PVC Cable protection bend 75 x 2,2 mm / 30° R = 1000 mm / Material PVC / Colour: black with solvent welded socket / DIN 16873 System KURO o. glw. ( <a href="http://www.kuro-kunststoffe.de">www.kuro-kunststoffe.de</a> ) supply and install, as an addition to pos: .....
	Amount:.....Pieces    UP: .....    TP: .....
Pos:.....	PVC Cable protection bend 75 x 2,2 mm / 45° R = 1000 mm / Material PVC / Colour: black with solvent welded socket / DIN 16873 System KURO o. glw. ( <a href="http://www.kuro-kunststoffe.de">www.kuro-kunststoffe.de</a> ) supply and install, as an addition to pos: .....
	Amount:.....Pieces    UP: .....    TP: .....

Pos:.....  
 PVC Cable protection bend 75 x 2,2 mm / 60°  
 R = 1000 mm / Material PVC / Colour: black  
 with solvent welded socket / DIN 16873  
 System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
 supply and install, as an addition to pos: .....

Amount:.....Pieces UP: ..... TP: .....

Pos:.....  
 PVC Cable protection bend 75 x 2,2 mm / 90°  
 R = 1000 mm / Material PVC / Colour: black  
 with solvent welded socket / DIN 16873  
 System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
 supply and install, as an addition to pos: .....

Amount:.....Pieces UP: ..... TP: .....

Pos:.....  
 PVC Cable protection bend 75 x 3,6 mm / 11°  
 R = 1000 mm / Material PVC / Colour: black  
 with solvent welded socket / DIN 16875  
 System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
 supply and install, as an addition to pos: .....

Amount:.....Pieces UP: ..... TP: .....

Pos:.....  
 PVC Cable protection bend 75 x 3,6 mm / 15°  
 R = 1000 mm / Material PVC / Colour: black  
 with solvent welded socket / DIN 16875  
 System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
 supply and install, as an addition to pos: .....

Amount:.....Pieces UP: ..... TP: .....

Pos:.....  
 PVC Cable protection bend 75 x 3,6 mm / 22°  
 R = 1000 mm / Material PVC / Colour: black  
 with solvent welded socket / DIN 16875  
 System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
 supply and install, as an addition to pos: .....

Amount:.....Pieces UP: ..... TP: .....

Pos:.....  
 PVC Cable protection bend 75 x 3,6 mm / 30°  
 R = 1000 mm / Material PVC / Colour: black  
 with solvent welded socket / DIN 16875  
 System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
 supply and install, as an addition to pos: .....

Amount:.....Pieces UP: ..... TP: .....



Pos:.....  
PVC Cable protection bend 75 x 3,6 mm / 45°  
R = 1000 mm / Material PVC / Colour: black  
with solvent welded socket / DIN 16875  
System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
supply and install, as an addition to pos: .....

Amount:.....Pieces UP: ..... TP: .....

Pos:.....  
PVC Cable protection bend 75 x 3,6 mm / 60°  
R = 1000 mm / Material PVC / Colour: black  
with solvent welded socket / DIN 16875  
System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
supply and install, as an addition to pos: .....

Amount:.....Pieces UP: ..... TP: .....

Pos:.....  
PVC Cable protection bend 75 x 3,6 mm / 90°  
R = 1000 mm / Material PVC / Colour: black  
with solvent welded socket / DIN 16875  
System KURO o. glw. ([www.kuro-kunststoffe.de](http://www.kuro-kunststoffe.de))  
supply and install, as an addition to pos: .....

Amount:.....Pieces UP: ..... TP: .....